

**Amendments to the Claims**

This listing of claims will replace all prior versions and listings of claims in the above-identified application.

**Listing of Claims**

1. (Currently Amended) A method comprising:  
maintaining first and second data volumes, wherein the first data volume is unrelated to the second data volume;  
refreshing the second data volume to the data contents of the first data volume that existed at time T, wherein refreshing the second data volume comprises overwriting all data of the second data volume with data of the first data volume that existed at time T;  
modifying data of the first data volume while the second data volume is being refreshed to the data contents of the first data volume that existed at time T; **and**  
**modifying data of the first data volume after the second data volume has been refreshed.**
2. (Cancelled)
3. (Cancelled)
4. (Original) The method of claim 1 further comprising creating one or more PIT copies of the first data volume prior to refreshing the second data volume to the data contents of the first data volume.
5. (Previously Presented) The method of claim 4 wherein one of the PIT copies of the first data volume is in a virtual state when the second data volume is refreshed to the data contents of the first data volume.
6. (Previously Presented) The method of claim 1 further comprising an act of preserving the second data volume, wherein said preserving comprises creating one or more PIT

copies of the second data volume prior to refreshing the second data volume to the data contents of the first data volume.

7. (Previously Presented) The method of claim 6 wherein one of the PIT copies of the second data volume is in the virtual state when the second data volume is refreshed to the data contents of the first data volume.

8. (Previously Presented) The method of claim 1 wherein the first data volume is a real or virtual PIT copy of another data volume when the second data volume is refreshed to the data contents of the first data volume.

9. (Previously Presented) The method of claim 1 wherein the second data volume is a real or virtual PIT copy of another data volume when the second data volume is refreshed to the data contents of the first data volume.

10. (Original) The method of claim 1 wherein refreshing the second data volume further comprises generating first and second maps in memory, wherein each of the first and second maps comprises a plurality of entries, wherein each entry of the first map corresponds to a respective memory block that stores data of the first data volume, and wherein each entry of the second map corresponds to a respective memory block that stores data of the second data volume.

11. (Previously Presented) The method of claim 10 wherein refreshing the second data volume further comprises:

setting a first bit in each entry of the first map, wherein each first bit of the first map is set to indicate its respective memory block stores valid data; and  
clearing a first bit in each entry of the second map, wherein each first bit of the second map is set to indicate its respective memory block stores invalid data.

12. (Original) The method of claim 11 further comprising:  
setting or clearing a second bit in each entry of the second map to indicate that its  
respective memory block stores data needed for a PIT copy of the second data  
volume.
13. (Previously Presented) The method of claim 1 further comprising an act of  
preserving the second data volume, wherein said preserving comprises creating a PIT copy of the  
second data volume before or while refreshing the second data volume to the data contents of the  
first data volume.
14. (Cancelled)
15. (Currently Amended) A computer readable medium storing instructions  
executable by a computer system, wherein the computer system implements a method in  
response to executing the instructions, the method comprising:  
refreshing a second data volume to the data contents of a first data volume that existed at  
time T, wherein refreshing the second data volume comprises overwriting all data  
of the second data volume with data of the first data volume that existed at time T,  
and wherein the first data volume is unrelated to the second data volume prior to  
refreshing the second data volume to the data contents of the first data volume;  
modifying data of the first data volume while the second data volume is being refreshed  
to the data contents of the first data volume that existed at time T; and  
modifying data of the first data volume after the second data volume has been  
refreshed.
16. (Cancelled)
17. (Cancelled)
18. (Previously Presented) The computer readable medium of claim 15 wherein the  
method further comprises creating one or more PIT copies of the first data volume prior to  
refreshing the second data volume to the data contents of the first data volume.

19. (Previously Presented) The computer readable medium of claim 18 wherein one of the PIT copies of the first data volume is in the virtual state when the second data volume is refreshed to the data contents of the first data volume.

20. (Previously Presented) The computer readable medium of claim 15 further comprising an act of preserving the second data volume, wherein said preserving further comprises creating one or more PIT copies of the second data volume prior to refreshing the second data volume to the data of the first data volume.

21. (Previously Presented) The computer readable medium of claim 20 wherein one of the PIT copies of the second data volume is in the virtual state when the second data volume is refreshed to the data contents of the first data volume.

22. (Previously Presented) The computer readable medium of claim 15 wherein the first data volume is a real or virtual PIT copy of another data volume when the second data volume is refreshed to the data contents of the first data volume.

23. (Previously Presented) The computer readable medium of claim 15 wherein the second data volume is a real or virtual PIT copy of another data volume when the second data volume is refreshed to the data contents of the first data volume.

24. (Original) The computer readable medium of claim 15 wherein refreshing the second data volume further comprises generating first and second maps in memory, wherein each of the first and second maps comprises a plurality of entries, wherein each entry of the first map corresponds to a respective memory block that stores data of the first data volume, and wherein each entry of the second map corresponds to a respective memory block that stores data of the second data volume.

25. (Previously Presented) The computer readable medium of claim 24 wherein refreshing the second data volume further comprises:  
clearing a first bit in each entry of the first map, wherein each first bit of the first map is set to indicate its respective memory block stores valid data; and  
setting a first bit in each entry of the second map, wherein each first bit of the second map is set to indicate its respective memory block stores invalid data.

26. (Previously Presented) The computer readable medium of claim 15 further comprising an act of preserving the second data volume, wherein said preserving further comprises creating a PIT copy of the second data volume before or while refreshing the second data volume to the data of the first data volume.

27. (Cancelled)

28. (Cancelled)

29. (Cancelled)

30. (Previously presented) The method of claim 1 further comprising:  
modifying data of the second data volume while the second data volume is being refreshed to the data contents of the first data volume that existed at time T;  
wherein, in response to the modifying the second data volume, the second data volume becomes a modified point-in-time copy of the first data volume that existed at time T.

31. (Previously presented) The computer readable medium of claim 15 wherein the method further comprises:  
modifying data of the second data volume while the second data volume is being refreshed to the data contents of the first data volume that existed at time T;  
wherein, in response to the modifying the second data volume, the second data volume becomes a modified point-in-time copy of the first data volume that existed at time T.

32. (New) The method of claim 1 wherein the first data volume and the second data volume are neither point-in-time copies nor modified point-in-time copies of each other.